

SAFETY DATA SHEET of: MS Kiemkill

Revision date: Wednesday, March 22, 2017

1 SECTION 1: Identification of the substance/mixture and of the company/undertaking:

1.1 Product identifier:

MS Kiemkill

1.2 Relevant identified uses of the substance or mixture and uses advised against:

1

Concentration in use: /

1.3 Details of the supplier of the safety data sheet:

Schippers Europe BV

Rond Deel 12

5531 AH Bladel, Nederland

Phone: +31497382017 — Fax: +31497382096 E-mail: contact.nl@schippers.eu — Website:

1.4 Emergency telephone number:

+31497382017

2 SECTION 2: Hazards identification:

2.1 Classification of the substance or mixture:

Classification of the substance or mixture in accordance with regulation (EU) 1272/2008:

H302 Acute tox. 4 H314 Skin Corr. 1B H317 Skin Sens. 1 H411 Aquatic Chronic 2

2.2 Label elements:

Pictograms:



Signal word:

Danger

Hazard statements:

H302 Acute tox. 4: Harmful if swallowed.

H314 Skin Corr. 1B: Causes severe skin burns and eye damage.

H317 Skin Sens. 1: May cause an allergic skin reaction.

H411 Aquatic Chronic 2: Toxic to aquatic life with long lasting effects.

Precautionary statements:

P260: Do not breathe dust/vapours/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. **P302+P350:** IF ON SKIN: Gently wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P312: Call a POISON CENTER or doctor if you feel unwell.
P361: Take off immediately all contaminated clothing.
P363: Wash contaminated clothing before reuse.

P391: Collect spillage.
P405: Store locked up.

P501: Dispose of contents/container in accordance with local/regional/national/international

regulations.

Contains:

Sodium dichloroisocyanurate 2,5% Pentapotassium bis(peroxymonosulphate) bis(sulphate) 45 %

2.3 Other hazards:

none

3 SECTION 3: Composition/information on ingredients:

Pentapotassium bis(peroxymonosulphate) bis(sulphate)	> 30%	CAS number: EINECS: REACH Registration number: CLP Classification:	70693-62-8 274-778-7 H302 Acute tox. 4 H314 Skin Corr. 1B H412 Aquatic Chronic 3
Sulphamic acid	5% - 15%	CAS number: EINECS: REACH Registration number: CLP Classification:	5329-14-6 226-218-8 H315 Skin Irrit. 2 H319 Eye Irrit. 2 H412 Aquatic Chronic 3
Malic acid	5% - 15%	CAS number: EINECS: REACH Registration number: CLP Classification:	617-48-1 210-514-9 H319 Eye Irrit. 2

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide	5% - 15%	CAS number: EINECS: REACH Registration number: CLP Classification:	932-051-8 01-2119565112-48 H315 Skin Irrit. 2 H318 Eye Dam. 1 H412 Aquatic Chronic 3
Dipotassium peroxodisulphate	< 5%	CAS number: EINECS: REACH Registration number:	7727-21-1 231-781-8
		CLP Classification:	H272 Ox. Sol. 3 H302 Acute tox. 4 H315 Skin Irrit. 2 H317 Skin Sens. 1 H319 Eye Irrit. 2 H334 Resp. Sens. 1 H335 STOT SE 3
Sodium dichloroisocyanurate	< 5%	CAS number: EINECS:	2893-78-9 220-767-7
		REACH Registration number: CLP Classification:	01-2119489371-33 EUH031 H272 Ox. Sol. 2 H302 Acute tox. 4 H319 Eye Irrit. 2 H335 STOT SE 3 H400 Aquatic Acute 1 H410 Aquatic Chronic 1

For the full text of the H & R phrases mentioned in this section, see section 16.

4 SECTION 4: First aid measures:

4.1 Description of first aid measures:

Always ask medical advice as soon as possible should serious or continuous disturbances occur.

Skin contact: remove contaminated clothing, rinse skin with plenty of water and immediately

transport to hospital.

Eye contact: first prolonged rinsing with water (contact lenses to be removed if this is easily done)

then take to physician.

Ingestion: rinse mouth, do not induce vomiting, take to hospital immediately.

Inhalation: let sit upright, fresh air, rest and take to hospital.

4.2 Most important symptoms and effects, both acute and delayed:

Skin contact:caustic, redness, pain, serious burnsEye contact:caustic, redness, bad looking, pain

Ingestion: caustic, lack of breath, vomiting, blisters on lips and tongue, burning pain in mouth

and throat, gullet and stomach

Inhalation: headache, dizziness, nausea, drowsiness, unconsciousness

4.3 Indication of any immediate medical attention and special treatment needed:

none

5 SECTION 5: Fire-fighting measures:

5.1 Extinguishing media:

CO2, foam, powder, sprayed water

5.2 Special hazards arising from the substance or mixture:

none

5.3 Advice for firefighters:

Extinguishing agents to be avoided:

none

6 SECTION 6: Accidental release measures:

6.1 Personal precautions, protective equipment and emergency procedures:

Do not walk into or touch spilled substances and avoid inhalation of fumes, smoke, dusts and vapours by staying up windRemove any contaminated clothing and used contaminated protective equipment and dispose of it safely.

6.2 Environmental precautions:

do not allow to flow into sewers or open water.

6.3 Methods and material for containment and cleaning up:

Contain released substance, store into suitable containers. If possible remove by using absorbent material.

6.4 Reference to other sections:

for further information check sections 8 & 13.

7 SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

handle with care to avoid spillage.

7.2 Conditions for safe storage, including any incompatibilities:

keep in a sealed container in a closed, frost-free, ventilated room.

7.3 Specific end use(s):

/

8 SECTION 8: Exposure controls/personal protection:

8.1 Control parameters:

Listing of the hazardous ingredients in section 3, of which the TLV value is known

Sodium dichloroisocyanurate 500 mg/m³, Dipotassium peroxodisulphate 0.1 mg/m³

8.2 Exposure controls:

Inhalation protection:	use with sufficient exhaust ventilation. If necessary, use an air-purifying face mask in case of respiratory hazards. Use the ABEK type as protection against these troublesome levels.	
Skin protection:	handling with nitril-gloves (EN 374). Breakthrough time: >480' Material thickness: 0,35 mm. Thoroughly check gloves before use. Take of the gloves properly without touching the outside with your bare hands. The manufacturer of the protective gloves has to be consulted about the suitability for a specific work station. Wash and dry your hands.	
Eye protection:	keep an eye-rinse bottle within reach. Tight-fitting safety goggles. Wear a face shield and protective suit in case of exceptional processing problems.	
Other protection:	impermeable clothing. The type of protective equipment depends on the concentration and amount of hazardous substances at the work station in question.	

9 SECTION 9: Physical and chemical properties:

9.1 Information on basic physical and chemical properties:

Melting point/melting range: /
Boiling point/Boiling range: /
pH: /
pH 1% diluted in water: 2.3
Vapour pressure/20°C,: /

Vapour density: not applicable

Relative density, 20°C: /
Appearance/20°C: solid
Flash point: /

Flammability (solid, gas): not applicable

Auto-ignition temperature: /
Upper flammability or explosive /
limit, (Vol %):

Lower flammability or explosive

limit, (Vol %):

Explosive properties: not applicable

Oxidising properties: not applicable

Decomposition temperature:

Solubility in water: completely soluble

Partition coefficient: n- not applicable

octanol/water:

Odour: characteristic
Odour threshold: not applicable

Dynamic viscosity, 20°C: /
Kinematic viscosity, 20°C: /
Evaporation rate (n-BuAc = 1): /

9.2 Other information:

Volatile organic component (VOC): /
Volatile organic component (VOC): /

10 SECTION 10: Stability and reactivity:

10.1 Reactivity:

stable under normal conditions.

10.2 Chemical stability:

extremely high or low temperatures.

10.3 Possibility of hazardous reactions:

none

10.4 Conditions to avoid:

protect from sunlight and do not expose to temperatures exceeding + 50°C.

10.5 Incompatible materials:

keep away from acids

10.6 Hazardous decomposition products:

doesn't decompose with normal use

11 SECTION 11: Toxicological information:

11.1 Information on toxicological effects:

H302 Acute tox. 4: Harmful if swallowed.

H314 Skin Corr. 1B: Causes severe skin burns and eye damage.

H317 Skin Sens. 1: May cause an allergic skin reaction.

Calculated acute toxicity, ATE oral: 889.657 mg/kg

Calculated acute toxicity, ATE /

dermal:

Pentapotassium bis(peroxymonosulphate) bis(sulphate)	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	500 mg/kg ≥ 5,000 mg/kg ≥ 50 mg/l
Sulphamic acid	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5,000 mg/kg ≥ 5,000 mg/kg ≥ 50 mg/l
Malic acid	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5,000 mg/kg ≥ 5,000 mg/kg ≥ 50 mg/l
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5,000 mg/kg ≥ 5,000 mg/kg 10 mg/l
Dipotassium peroxodisulphate	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	802 mg/kg ≥ 5,000 mg/kg ≥ 50 mg/l

Sodium dichloroisocyanurate	LD50 oral, rat:	1,400 mg/kg
	LD50 dermal, rabbit:	≥ 5,000 mg/kg
	LC50, Inhalation, rat, 4h:	≥ 50 mg/l

12 SECTION 12: Ecological information:

12.1 Toxicity:

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide	LC50 (Fish): EC50 (Daphnia): EC50 (Algae): NOEC (Algae):	5.5 mg/L (96h) 8.8 mg/L (48h) 25 mg/L (72h) 1.5 mg/L (72h)
	EC50 (soil microorganisms):	63 mg/L (17h)

12.2 Persistence and degradability:

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential:

No additional data available

12.4 Mobility in soil:

Water hazard class, WGK: 2

Solubility in water: completely soluble

12.5 Results of PBT and vPvB assessment:

No additional data available

12.6 Other adverse effects:

No additional data available

13 SECTION 13: Disposal considerations:

13.1 Waste treatment methods:

Draining into the sewers is not permitted. Removal should be carried out by licensed services. Possible restrictive regulations by local authority should always be adhered to.

14 SECTION 14: Transport information:

14.1 UN number:

3260

14.2 UN proper shipping name:

UN 3260 Corrosive solid, acidic, inorganic, n.o.s. (mixture with Sodium dichloroisocyanurate), 8, III, (E)

14.3 Transport hazard class(es):

Class(es): 8
Identification number of the 80

hazard:

14.4 Packing group:

Ш

14.5 Environmental hazards:

environmentally hazardous

14.6 Special precautions for user:

Hazard characteristics: Risk of burns. Risk to the aquatic environment and the sewerage system.

Additional guidance:





15 SECTION 15: Regulatory information:

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Water hazard class, WGK: 2
Volatile organic component (VOC): /
Volatile organic component (VOC): /

Composition by regulation (EC)

648/2004:

Disinfectants > 30%, Phosphates 15% - 30%, Anionic surfactants 5% - 15%, Chlorine-based bleaching agents < 5%, Oxygen-based bleaching agents < 5%

15.2 Chemical Safety Assessment:

No data available

16 SECTION 16: Other information:

Legend to abbreviations used in the safety data sheet:

ADR: The European Agreement concerning the International Carriage of Dangerous

Goods by Road

BCF: Bioconcentration factor
CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of chemicals

EINECS: European INventory of Existing Commercial chemical Substances

Nr.: number

PTB: persistent, toxic, bioaccumulative

TLV: Threshold Limit Value

vPvB: very persistent and very bioaccumulative substances

WGK: Water hazard class

WGK 1: slightly hazardous for water

WGK 2: hazardous for water

WGK 3: extremely hazardous for water

Legend to the R & H Phrases used in the safety data sheet:

EUH031: Contact with acids liberates toxic gas. H272 Ox. Sol. 2: May intensify fire; oxidiser. swallowed. Ox. Sol. 3: May intensify fire; oxidiser. H302 Acute tox. 4: Harmful if H314 Skin Corr. 1B: Causes severe skin burns and eye damage. H315 Skin Irrit. 2: Causes skin irritation. H317 Skin Sens. 1: May cause an allergic skin reaction. H318 Eye Dam. 1: Causes serious eye damage. H319 Eye Irrit. 2: Causes serious eye irritation. H334 Resp. Sens. 1: May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 STOT SE 3: May cause respiratory irritation. H400 Aquatic Acute 1: Very toxic to aquatic life. H410 Aquatic Chronic 1: Very toxic to aquatic life with long lasting effects. H411 Aquatic Chronic 2: Toxic to aquatic life with long lasting effects. H412 Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

Reason of revision, changes of following items:

Section: 9.1

MSDS reference number:

ECM-109345.00

This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 2015/830. Classification has been calculated in accordance with European regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. To use this preparation for an experiment or a new application, the user must carry out a material suitability and safety study himself.