

## SAFETY DATA SHEET

### Solmectin Injectable for Cattle and Swine

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

<b>SDS Name:</b>	Solmectin Injectable for Cattle and Horses
<b>Synonyms:</b>	Not Available
<b>Chemical Formula:</b>	Not Applicable
<b>DIN:</b>	02551179
<b>Manufactured by:</b>	Bimeda-MTC Animal Health Cambridge, Ontario N3C 2W4
<b>Distributed by:</b>	AVL/Solvet 7226- 107 <sup>th</sup> Avenue South East Calgary, Alberta Canada T2C5N6
For information, call:	(403) 456-2245
Emergency number:	(613) 996-6666 (CANUTEC) 1-800 463-5060 OR (418) 656-8090 (Control Poison Center)

#### 2. HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture GHS-US classification

Flam. Liq. 4      H227  
 Acute Tox. 4 (Oral)      H302  
 Eye Irrit. 2A      H319  
 Repr. 2 H361  
 STOT RE 2      H373  
 Aquatic Acute 3 H402  
 Full text of H-phrases: see section 16

2.2. Label Elements GHS-US Labeling

Hazard Pictograms (GHS-US) :



GHS07



GHS08

Signal Word (GHS-US) :      Warning  
 Hazard Statements (GHS-US) :      H227 - Combustible liquid.  
 H302 - Harmful if swallowed.  
 H319 - Causes serious eye irritation.  
 H361 - Suspected of damaging fertility or the unborn child.  
 H373 - May cause damage to organs (central nervous system) through prolonged or repeated exposure.



**SAFETY DATA SHEET**  
**SOLMECTIN INJECTABLE**  
**FOR CATTLE AND SWINE**

**Alberta Veterinary**  
**Laboratories Ltd.**  
Document No.:  
**SDS-QC.064**

Effective Date: 2025-08-01

H402 - Harmful to aquatic life.

Precautionary Statements (GHS-US) : P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking.  
P260 - Do not breathe vapors, mist, spray.  
P264 - Wash hands, forearms, and exposed areas thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.  
P273 - Avoid release to the environment.  
P280 - Wear eye protection, protective clothing, protective gloves. P301+P312 - If swallowed: Call a POISON CENTER, a doctor if you feel unwell. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - If exposed or concerned: Get medical advice/attention. P314 - Get medical advice/attention if you feel unwell.  
P330 - Rinse mouth.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P370+P378 - In case of fire: Use carbon dioxide (CO<sub>2</sub>), dry extinguishing powder, alcohol resistant foam to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

**2.3. Other Hazards**

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

**2.4. Unknown Acute Toxicity (GHS-US)**

No data available

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**3.1. Substance**

Not applicable

**3.2. Mixture**

Name	Product Identifier	%	GHS-US classification
1,2-Propylene glycol	(CAS No) 57-55-6	59	Not classified
1,3-Dioxolan-4-ylmethanol	(CAS No) 5464-28-8	40	Eye Irrit. 2A, H319
Ivermectin	(CAS No) 70288-86-7	1	Acute Tox. 2 (Oral), H300 Acute Tox. 3 (Dermal), H311 Repr. 2, H361 STOT RE 2, H373 Aquatic Acute 1, H400

Full text of H-phrases: see section 16

## 4. FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

**First-aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** Causes serious eye irritation. Harmful if swallowed. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

**Symptoms/Injuries After Eye Contact:** Contact causes severe irritation with redness and swelling of the conjunctiva.

**Symptoms/Injuries After Ingestion:** This material is harmful orally and can cause adverse health effects or death in significant amounts.

**Chronic Symptoms:** Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

**4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed**  
If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## 5. FIRE FIGHTING MEASURES

### 5.1. Extinguishing Media

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>). Water may be ineffective but water should be used to keep fire-exposed container cool.

**Unsuitable Extinguishing Media:**

Do not use a heavy water stream. A heavy water stream may spread burning liquid.

**5.2. Special Hazards Arising From the Substance or Mixture**

**Explosion Hazard:** May form flammable or explosive vapor-air mixture.

**Reactivity:** Reacts violently with strong oxidizers. Increased risk of fire or explosion.

**5.3. Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

<b>6. ACCIDENTAL RELEASE MEASURES</b>
---------------------------------------

**6.1. Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges. Do not breathe vapor, mist or spray. Avoid all contact with skin, eyes, or clothing.

**6.1.1. For Non-emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so.

**6.1.2. For Emergency Responders**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Eliminate ignition sources.

**6.2. Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

### **6.3. Methods and Material for Containment and Cleaning Up**

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools.

### **6.4. Reference to Other Sections**

See Heading 8. Exposure controls and personal protection. See Section 13, Disposal Considerations.

## **7. HANDLING AND STORAGE**

### **7.1. Precautions for Safe Handling**

**Additional Hazards When Processed:** Handle empty containers with care because residual vapors are flammable.

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take precautionary measures against static discharge. Use only non-sparking tools. Handle empty containers with care because they may still present a hazard. Do not get in eyes, on skin, or on clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do NOT breathe (vapor, mist, spray).

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### **7.2. Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

**Storage Conditions:** Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.

**Incompatible Products:** Strong acids, strong bases, strong oxidizers.  
Storage Temperature: < 30 °C (< 86 °F)

### **7.3. Specific End Use(s)**

Veterinary Parasiticide

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).


1,2-Propylene glycol (57-55-6)		
USA AIHA	WEEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>

#### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion- proof equipment.

#### Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



#### Materials for Protective Clothing

: Chemically resistant materials and fabrics. Wear fire/ flame resistant/retardant clothing.

#### Hand Protection

: Wear protective gloves.

#### Eye Protection

: Chemical safety goggles.

#### Skin and Body Protection

: Wear suitable protective clothing.

#### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

#### Other Information

: When using, do not eat, drink or smoke.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Colorless to yellow
Odor	: Practically odorless
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: 185 °C (365 °F)
Flash Point	: 81 °C (177.8 °F)
Auto-ignition Temperature	: 371 °C (699.8 °F)
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: 0.1 hPa at 20 °C (68 °F):
Relative Vapor Density at 20 °C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available
Lower Flammable Limit	: 2.6 %
Upper Flammable Limit	: 12.6 %

## 10. STABILITY AND REACTIVITY

- 10.1. Reactivity:** Reacts violently with strong oxidizers. Increased risk of fire or explosion.
- 10.2. Chemical Stability:** Combustible liquid. May form flammable or explosive vapor-air mixture.
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>).

## 11. TOXICOLOGICAL INFORMATION

### Information On Toxicological Effects

**Acute Toxicity:** Oral: Harmful if swallowed.

Solmectin Injection for Cattle and Swine (Ivermectin 1% Injection)	
ATE (Oral)	1,000.00 mg/kg body weight
1,2-Propylene glycol (57-55-6)	
LD50 Oral Rat	20 g/kg
LD50 Dermal Rabbit	20800 mg/kg
Ivermectin (70288-86-7)	
LD50 Oral Rat	10 mg/kg

**Skin Corrosion/Irritation:** Not classified

**Serious Eye Damage/Irritation:** Causes serious eye irritation.

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Reproductive Toxicity:** Suspected of damaging fertility or the unborn child.

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** May cause damage to organs (central nervous system) through prolonged or repeated exposure.

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

**Symptoms/Injuries After Eye Contact:** Contact causes severe irritation with redness and swelling of the conjunctiva.

**Symptoms/Injuries After Ingestion:** This material is harmful orally and can cause adverse health effects or death in significant amounts.

**Chronic Symptoms:** Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.



## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Harmful to aquatic life.

1,2-Propylene glycol (57-55-6)	
LC50 Fish 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)
LC 50 Fish 2	41 - 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 2	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

### 12.2. Persistence and Degradability

Bimectin Injection for Cattle and Swine (Ivermectin 1% Injection)	
Persistence and Degradability	Not established.

### 12.3. Bioaccumulative Potential

Bimectin Injection for Cattle and Swine (Ivermectin 1% Injection)	
Bioaccumulative Potential	Not established.
1,2-Propylene glycol (57-55-6)	
BCF fish 1	< 1
Log Pow	-0.92

**12.4 Mobility in Soil** No additional information available

### 12.5 Other Adverse Effects

**Other Information** : Avoid release to the environment.

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Additional Information:** Handle empty containers with care because residual vapors are flammable.

**Ecology – Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

#### 14. TRANSPORT INFORMATION

- 14.1 In Accordance with DOT**                      Not dangerous goods. Not regulated for transport.
- 14.2 In Accordance with IATA**                      Not dangerous goods. Not regulated for transport.
- 14.3 In Accordance with IMDG**                      Not dangerous goods. Not regulated for transport.

#### 15. REGULATORY INFORMATION

**Regulatory Information:**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.  
Complies with WHMIS 15.

#### 16. OTHER INFORMATION

**GHS Full Text Phrases:**

Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Repr. 2	Reproductive toxicity Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H227	Combustible liquid
H300	Fatal if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H402	Harmful to aquatic life



**SAFETY DATA SHEET**

**SOLMECTIN INJECTABLE  
FOR CATTLE AND SWINE**

**Alberta Veterinary  
Laboratories Ltd.**  
Document No.:  
**SDS-QC.064**

Effective Date: 2025-08-01

---

**DISCLAIMER**

For Veterinary used only. Not for household or other uses.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alberta Veterinary Laboratories Ltd. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alberta Veterinary Laboratories Ltd. has been advised of the possibility of such damages.

**Revision Date: 2025-08-01**