Safety Data Sheet



Section 1: Identification

Product identifier

Product Name • Starbar Premium Fly Bait

Synonyms • 107137; 10950C; 10960C; PCP #: 15176

Product DescriptionBlue granules.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Fly attractant.

Restrictions on use •

Avoid contact with eyes, skin or clothing. Keep out of the reach of children and

domestic animals.

Details of the supplier of the safety data sheet

Manufacturer • Wellmark International

100 Stone Road West, Suite 111

Guelph ON N1G 5L3

Canada

Emergency telephone number

Manufacturer • 1-800-688-7378

Manufacturer (Transportation) • 1-800-424-9300 - Chemtrec

Manufacturer (Transportation) • 1-703-527-3887 - Chemtrec - outside the US, collect calls accepted

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 • Combustible Dust

Specific Target Organ Toxicity Single Exposure 1
Specific Target Organ Toxicity Repeated Exposure 1

Label elements

OSHA HCS 2012

DANGER





Hazard statements • May form combustible dust concentrations in air.

Causes damage to organs via inhalation, dermal, ingestion

Causes damage to organs through prolonged or repeated exposure via inhalation,

dermal, ingestion

Precautionary statements

Prevention • Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not breathe dust, fume, gas, mist, vapors and/or spray.

Response • IF exposed: Call POISON CENTER or doctor/physician.

Get medical advice/attention if you feel unwell.

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Store locked up.

Other hazards

OSHA HCS 2012

This pesticide is toxic to: bees, wildlife and fish, aquatic organisms, birds and small wild mammals. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients

Substances

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is not considered a substance.

Mixtures

| Composition | | | |
|-------------------|----------------|---------|--|
| Chemical Name | Identifiers | % | |
| Methomyl | CAS:16752-77-5 | 1% | |
| 9-Tricosene, (Z) | CAS:27519-02-4 | 0.049% | |
| Sucrose | CAS:57-50-1 | 98.886% | |
| Other ingredients | NDA | 0.065% | |

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately.

Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Eye

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

Page 2 of 11

if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed

Contains Methomyl, an N-methyl carbamate that inhibits cholinesterase. May affect central nervous system with a single or with repeated inhalation, skin or oral exposure. Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

NOTE TO PHYSICIAN: Contains Methomyl, an N-methyl carbamate that inhibits cholinesterase. Atropine is antidotal, if signs of cholinesterase inhibition are present. Early symptoms of poisoning in humans include: excessive sweating, headache, nausea, vomiting, blurred vision, slurred speech, and muscle twitching. Symptoms of poisoning in animals include: salivation, labored breathing, diarrhea, vomiting, tremors, and pinpoint pupils. Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • Use water, foam, carbon dioxide, or dry chemical or sand.

Unsuitable Extinguishing Media

Do not use direct water stream.

Firefighting Procedures

Move containers from fire area if you can do it without risk.

Stay upwind.

Combustible dust - use low-pressure medium fog streams to avoid dust clouds.

Eliminate ignition sources.

Do not walk through spilled material. Do not breathe gas/fumes/vapor/spray.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Hazardous Combustion Products

Thermal decomposition, at temperatures in excess of 365°F, may release flammable gases and acrid fumes and smoke, including aldehydes, carbon monoxide, carbon

dioxide, and steam.

Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not walk through spilled material. Keep all sources of ignition

Preparation Date: 21/January/2016 Format: GHS Language: English (US) Revision Date: 21/January/2016 Page 3 of 11

away and avoid creating dusty conditions. Use appropriate Personal Protective Equipment (PPE) Ventilate enclosed areas.

Emergency Procedures

•

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Contain spill and monitor for excessive dust accumulation. Keep unauthorized personnel away. Ventilate closed spaces before entering.

Environmental precautions

· Avoid release to the environment.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

Carefully shovel or sweep up spilled material and place in suitable container.
 Avoid generating dust.

Use clean nonsparking tools to collect material.

Dust Deposits should not be allowed to accumulate on surfaces, as these may form

an explosive mixture if they are released into the atmosphere in sufficient

concentration.

Wear appropriate personal protective equipment, avoid direct contact.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

•

Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Take precautionary measures against static charges. Wear appropriate personal protective equipment including long-sleeved shirt, long pants, chemical resistant gloves, shoes and socks. Avoid direct contact. Avoid contact with heat and ignition sources.

Conditions for safe storage, including any incompatibilities

Storage

.

Store in cool, dry, secure place. Keep container tightly closed. Keep away from sources of ignition – No Smoking. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store away from strong oxidizing agents.

Incompatible Materials or Ignition Sources

Heat, sparks, open flame. Strong acids, strong bases, and oxidizing agents.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines

It is recommended that dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment.

| | Exposure Limits/Guidelines | | | | |
|--------------------------|----------------------------|--|---|--|--|
| | Result ACGIH NIOSH OSHA | | | | |
| Methomyl (16752-77-5) | TWAs | 0.2 mg/m3 TWA (inhalable fraction and vapor) | 2.5 mg/m3 TWA | Not established | |
| Sucrose (57-50-1) | TWAs | 10 mg/m3 TWA | 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust) | 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) | |

Exposure Control Notations ACGIH

Preparation Date: 21/January/2016 Format: GHS Language: English (US)
Revision Date: 21/January/2016 OSHA HCS 2012

•Methomyl (16752-77-5): **Skin:** (Skin - potential significant contribution to overall exposure by the cutaneous route)

Exposure Limits Supplemental ACGIH

- •Methomyl (16752-77-5): TLV Basis Critical Effects: (acetylcholinesterase inhibition; male reproductive damage; hematologic effects)
- •Sucrose (57-50-1): TLV Basis Critical Effects: (dental erosion)

Exposure controls

Engineering Measures/Controls

Local exhaust ventilation. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). Use only appropriately classified electrical equipment. It is recommended that dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment.

Personal Protective Equipment

Pictograms







Respiratory

Not required with normal use.

Eye/Face

Wear safety glasses.

Hands

Wear appropriate gloves.

Skin/Body

Long sleeve shirt, long pants, shoes, and socks should be worn.

General Industrial Hygiene

Considerations

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the

presence of an ignition source is a potential dust explosion hazard.

Environmental Exposure Controls

· No data available

Other Information

See product label for specific use PPE instructions.

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

| Material Description | | | |
|-----------------------------------|-----------------------|------------------------------|----------------------|
| Physical Form | Solid | Appearance/Description | Blue granules. |
| Color | Blue | Odor | No data available. |
| Odor Threshold | No data available | | |
| General Properties | | | • |
| Boiling Point | No data available | Melting Point/Freezing Point | No data available |
| Decomposition Temperature | No data available | рН | Not relevant |
| Specific Gravity/Relative Density | 1.5g/cc @ 20°C (68°F) | Bulk Density | 50 lb/ft3 (0.8 g/cc) |
| Water Solubility | Soluble | Viscosity | Not relevant |
| Volatility | | - | - |
| Vapor Pressure | No data available | Vapor Density | No data available |
| Evaporation Rate | No data available | | |
| Flammability | - | - | - |

Preparation Date: 21/January/2016

Format: GHS Language: English (US) Revision Date: 21/January/2016 OSHA HCS 2012 Page 5 of 11

| Flash Point | Not relevant | UEL | No data available |
|-------------------------------------|-------------------|--------------|-------------------|
| LEL | No data available | Autoignition | No data available |
| Flammability (solid, gas) | Data lacking | | |
| Environmental | | | |
| Octanol/Water Partition coefficient | No data available | | |

Section 10: Stability and Reactivity

Reactivity

This material is friable and can create small dust particles during any handling, processing, and transfer operations. This material can form explosive dust/air suspensions that are ignitable under some conditions.

Chemical stability

• Stable under normal temperatures and pressures.

Possibility of hazardous reactions

· May form combustible dust concentrations in the air.

Conditions to avoid

 Heat, sparks, open flame, other ignition sources, and oxidizing conditions. Strong acids and strong bases.

Incompatible materials

• Strong acids, strong bases and oxidizing agents.

Hazardous decomposition products

Thermal decomposition may produce toxic vapors and/or gases.

Section 11 - Toxicological Information

Information on toxicological effects

| | CAS | |
|-----------------------------|-----|---|
| Starbar Premium Fly Bait | NDA | Acute Toxicity: Ingestion/Oral-Rat LD50 • 3106 mg/kg; Inhalation-Rat LC50 • >2.722 mg/L; Skin-Rabbit LD50 • >2100 mg/kg; Irritation: Eye-Rabbit • Mild irritation; Skin-Rabbit • Essentially non-irritating |

| GHS Properties | Classification |
|-------------------------------|---|
| Acute toxicity | OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met |
| Skin corrosion/Irritation | OSHA HCS 2012 • Classification criteria not met |
| Serious eye damage/Irritation | OSHA HCS 2012 • Classification criteria not met |
| Skin sensitization | OSHA HCS 2012 • Classification criteria not met |
| Respiratory sensitization | OSHA HCS 2012 • Classification criteria not met |
| Aspiration Hazard | OSHA HCS 2012 • Classification criteria not met |
| Carcinogenicity | OSHA HCS 2012 • Classification criteria not met |
| Germ Cell Mutagenicity | OSHA HCS 2012 • Classification criteria not met |

| Toxicity for Reproduction | OSHA HCS 2012 • Classification criteria not met | |
|---------------------------|--|--|
| STOT-SE | OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 1 | |
| STOT-RE | OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1 | |

Route(s) of entry/exposure **Potential Health Effects** Inhalation

Inhalation, Skin, Eye, Ingestion

Acute (Immediate)

Inhalation of methomyl may result in cholinesterase depression.

Chronic (Delayed)

Repeated exposure to methomyl via inhalation may result in cholinesterase depression.

Skin

Acute (Immediate)

Dermal absorption of methomyl may result in cholinesterase depression.

Chronic (Delayed)

Repeated dermal exposure to methomyl may result in cholinesterase depression.

Eye

Acute (Immediate)

· May cause mild irritation.

Chronic (Delayed)

No data available.

Ingestion

Acute (Immediate)

- Ingestion of methomyl may result in cholinesterase depression.
- **Chronic (Delayed)**
- Repeated ingestion methomyl may result in cholinesterase depression.

Mutagenic Effects

Methomyl was negative in numerous assays to evaluate mutagenicity and genotoxicity, including Ames test, Reverse Mutation Assay, Recessive Lethal Assay, three DNA damage studies, an unscheduled DNA Synthesis Assay, and in vitro and in

vivo cytogenic assays.

Carcinogenic Effects

Methomyl is not listed as a carcinogen by the IARC, NTP, OSHA and ACGIH.

Reproductive Effects

Methomyl: A 3-generation rat reproduction study at rates of 50 and 100 ppm showed no adverse effect upon fertility, and no compound related histologic effect. A 2generation rat study conducted at 75, 600, and 1,200 ppm in the diet showed similar results. In rats, no embryotoxic or teratogenic effects were observed at levels up to 400 ppm (highest level fed). In rabbits, the highest dietary dose level (100 mg/kg) did not cause any observed compound related abnormalities.

Section 12 - Ecological Information

Toxicity

| | Components | | |
|---------------|------------|--|--|
| Methomyl (1%) | 16752-77-5 | Aquatic Toxicity-Fish: 96 Hour(s) LC50 Rainbow trout 2.49 mg/L [acute] 96 Hour(s) LC50 Blue gill 0.63 mg/L [acute] 96 Hour(s) LC50 Fathead minnow 2.8 mg/L [acute] LC50 Sheepshead minnow 1.16 mg/L [acute] NOEC Fathead minnow 0.076 mg/L [chronic] NOEC Sheepshead minnow 0.26 mg/L [chronic] Aquatic Toxicity-Crustacea: NOEC Daphnia magna 0.0007 mg/L [chronic] NOEC Mysid shrimp 0.029 mg/L [chronic] 48 Hour(s) LC50 Daphnia magna 0.017 mg/L [acute] 96 Hour(s) LC50 Mysid shrimp 0.234 mg/L [acute] LC50 Pink shrimp 0.019 mg/L [acute] | |
| | | Aquatic Toxicity-Fish: 96 Hour(s) LC50 Rainbow Trout >1000 mg/L [Acute] | |

9-Tricosene, (Z) (0.049%)

27519-02-4

96 Hour(s) LC50 Blue Gill >1000 mg/L [Acute]

Aquatic Toxicity-Crustacea: 48 Hour(s) LC50 Daphnia magna 1.08 mg/L [Acute]

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

Mobility in Soil

· No data available.

Other adverse effects

Potential Environmental

Effects

This pesticide is toxic to: bees, wildlife and fish, aquatic organisms, birds and small wild mammals.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

Do not reuse or refill this container. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. See product label for disposal instructions.

Section 14 - Transport Information

| | UN number | UN proper shipping name | Transport hazard class(es) | Packing group | Environmental hazards |
|-----------|--------------|---|----------------------------|------------------|--------------------------|
| DOT | UN3077 | Bulk Packaging Only: Environmentally hazardous substance, solid, n.o.s. (Methomyl) | 9 | Ш | Marine Pollutant |
| IMO/IMDG | UN3077 | Packaging 5 kg. or greater: Environmentally hazardous substance, solid, n.o.s. (Methomyl) | 9 | III | Marine Pollutant |
| IATA/ICAO | UN3077 | Packaging 5 kg. or greater: Environmentally hazardous substance, solid, n.o.s. (Methomyl) | 9 | III | Acute Aquatic Toxicity |

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Other information

Not relevant.

DOT • Environmental Hazards: RQ (Methomyl = 100 lb).

IMO/IMDG · No data available IATA/ICAO · No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Chronic, Acute, Pressure(Sudden Release of), SARA Title III Section 313

FIFRA - Pesticide Labeling

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION



Precautionary Statements •

KEEP OUT OF THE REACH OF CHILDREN. READ THE LABEL BEFORE USING POTENTIAL SKIN SENSITIZER

Hazards to Humans and • Domestic Animals

PMRA Label: PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Hazardous to humans and domestic animals: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Do not contaminate feed, water, food or litter. Do not apply where poultry or animals can pick it up or lick the product. Do not use in homes or where food is processed or stored. Do not feed treated garbage to livestock. Use only in areas inaccessible to food producing animals. Wear cotton coveralls over a long-sleeved shirt and long pants, shoes plus socks and chemical-resistant gloves. Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no instructions are available, wash PPE using detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other materials that have been drenched or heavily contaminated with this product. Do not reuse them. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothina.

TOXICOLOGICAL INFORMATION: This product contains methomyl, a carbamate insecticide. Poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors. Atropine is antidotal.

First Aid

• FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If Inhaled: move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Environmental Hazards

This pesticide is toxic to bees, wildlife and fish. Toxic to aguatic organisms. Toxic to

birds and small wild mammals. When this bait is used in an area accessible to birds, it must be placed in a bait station that prevents birds from eating the bait. Spilled fly bait granules must be cleaned up by collecting the bulk of the granules and any remaining on the soil surfaced should be buried. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body. The use of this chemical may result in contamination of ground water particularly in areas where soils are permeable (e.g. sandy soil) and/or the depth to the water table is shallow.

| | Inventory | | |
|------------------|------------|------|--|
| Component | CAS | TSCA | |
| 9-Tricosene, (Z) | 27519-02-4 | Yes | |
| Methomyl | 16752-77-5 | No | |
| Sucrose | 57-50-1 | Yes | |

United States

| J.S CERCLA/SARA - Hazardous Substances and th | neir Reportable Quantities | |
|---|--|--------------------------------------|
| Sucrose | 57-50-1 | Not Listed |
| • 9-Tricosene, (Z) | 27519-02-4 | Not Listed |
| Methomyl | 16752-77-5 | 100 lb final RQ; 45.4 kg fina RQ |
| J.S CERCLA/SARA - Section 302 Extremely Hazardo | ous Substances EPCRA RQs | |
| Sucrose | 57-50-1 | Not Listed |
| • 9-Tricosene, (Z) | 27519-02-4 | Not Listed |
| Methomyl | 16752-77-5 | 100 lb EPCRA RQ |
| J.S CERCLA/SARA - Section 302 Extremely Hazard | ous Substances TPQs | |
| Sucrose | 57-50-1 | Not Listed |
| • 9-Tricosene, (Z) | 27519-02-4 | Not Listed |
| Methomyl | 16752-77-5 | 500 lb lower TPQ; 10000 lb upper TPQ |
| J.S RCRA (Resource Conservation & Recovery Act | t) - Hazardous Constituents - Appendix VIII to 4 | 0 CFR 261 |
| • Sucrose | 57-50-1 | Not Listed |
| • 9-Tricosene, (Z) | 27519-02-4 | Not Listed |
| Methomyl | 16752-77-5 | waste number P066 |
| J.S RCRA (Resource Conservation & Recovery Ac | t) - P Series Wastes - Acutely Toxic Wastes | |
| • Sucrose | 57-50-1 | Not Listed |
| • 9-Tricosene, (Z) | 27519-02-4 | Not Listed |
| Methomyl | 16752-77-5 | waste number P066 |

Section 16 - Other Information

Revision Date
 Last Revision Date
 21/January/2016
 21/January/2016
 21/January/2016

Disclaimer/Statement of Liability

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.