according to Regulation (EC) No. 1907/2006



## Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Product code : 106652001 / 106652005

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Adhesives

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : UKAL Elevage

2 rue de l'Etang F-67360 ESCHBACH

Telephone : +33 3 88 07 40 15

Telefax : +33 3 88 07 40 14

E-mail address of person

responsible for the SDS

: ukalel@ukal-elevage.com

## 1.4 Emergency telephone number

+49 (0)6132 - 84463

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H332: Harmful if inhaled.

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

Specific target organ toxicity - single ex-

posure, Category 3

H335: May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

Specific target organ toxicity - repeated

exposure, Category 2

H373: May cause damage to organs through pro-

longed or repeated exposure.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or

repeated exposure.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Hazardous components which must be listed on the label:

Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]

4,4'-Diphenylmethane diisocyanate

#### 2.3 Other hazards

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous components**

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		(/0 11/11/
	Registration number		
Castor oil, polymer with 1,1'-	68424-09-9	Acute Tox. 4; H332	>= 90 - <= 100
methylenebis[4-		Skin Irrit. 2; H315	
isocyanatobenzene]		Eye Irrit. 2; H319	
		Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		Carc. 2; H351	
		STOT SE 3; H335	
		STOT RE 2; H373	
4,4'-Diphenylmethane diisocya-	101-68-8	Acute Tox. 4; H332	>= 10 - < 20
nate	202-966-0	Skin Irrit. 2; H315	
	615-005-00-9	Eye Irrit. 2; H319	
	01-2119457014-47	Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		Carc. 2; H351	
		STOT SE 3; H335	
		STOT RE 2; H373	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

according to Regulation (EC) No. 1907/2006



## Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation. Suspected of causing cancer.

May cause damage to organs through prolonged or repeated

exposure.

Respiratory symptoms, including pulmonary edema, may be

delayed.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Water spray in large fire situations

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

If the temperature rises there is danger of the vessels bursting

due to the high vapor pressure.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

according to Regulation (EC) No. 1907/2006



## Septicare II Bond 9201 - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

Hydrogen cyanide (hydrocyanic acid)

Isocyanates

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice and personal protective equip-

ment recommendations.

6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent

After approximately one hour, transfer to waste container and

do not seal, due to evolution of carbon dioxide.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

according to Regulation (EC) No. 1907/2006



## Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe vapours or spray mist.

Do not swallow. Do not get in eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed. Keep away from water. Protect from moisture.

Already sensitised individuals should consult their physician regarding working with respiratory irritants or sensitisers. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep in properly labelled containers. Store locked up. Protect from moisture. Keep in a cool, well-ventilated place. Store in

accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Storage class (TRGS 510) : 10, Combustible liquids

Recommended storage tem- :

perature

18 - 30 °C

#### 7.3 Specific end use(s)

Specific use(s) : No data available

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
4,4'- Diphenylmethane diisocyanate	101-68-8	AGW (Vapour and aerosols)	0,05 mg/m3	TRGS 430
Peak-limit: excursion factor (category)	1;=2=(I)			
Further information	Sum of vapour and aerosols, The exposure limit is established for monomers. For regulatory details on oligomers and polymers see TRGS 430 'Isocyanate'., airway sensitizing substance			
		AGW (Vapour and aerosols, inhalable frac- tion)	0,05 mg/m3	DE TRGS 900
Peak-limit: excursion factor (category)	1;=2=(I)			
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Sum of vapor and aerosols., The exposure limit is established for monomers. For regulatory details on oligomers and polymers see TRGS 430 'Isocyanate'., Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child, Substance sensitizing through the skin and respiratory system			

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	,		` '	
Substance name	End Use	Exposure routes	Potential health effects	Value
4,4'-Diphenylmethane diisocyanate	Workers	Inhalation	Long-term local ef- fects	0,05 mg/m3
	Workers	Inhalation	Acute local effects	0,1 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0,025 mg/m3
	Consumers	Inhalation	Acute local effects	0.05 mg/m3

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
4,4'-Diphenylmethane diisocya-	Fresh water	1 mg/l
nate		
	Marine water	0,1 mg/l
	Intermittent use/release	10 mg/l
	Sewage treatment plant	1 mg/l
	Soil	1 mg/kg

#### 8.2 Exposure controls

### **Engineering measures**

Processing may form hazardous compounds (see section 10).

Minimize workplace exposure concentrations.

Use with local exhaust ventilation.

according to Regulation (EC) No. 1907/2006



## Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

Personal protective equipment

Eye protection : Wear the following personal protective equipment:

Safety goggles

Hand protection

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : 0,7 mm
Directive : DIN EN 374

Material : butyl-rubber
Break through time : > 120 min
Glove thickness : 0,7 mm
Directive : DIN EN 374

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and organic vapour type (A-P)

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : amber

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling : No data available

according to Regulation (EC) No. 1907/2006



## Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

range

Flash point :  $>= 200 \, ^{\circ}\text{C}$ 

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : 5 - < 10 mmHg (25 °C)

Relative vapour density : No data available

Relative density : 1,15

Density : ca. 1,15 g/cm3

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 3.000 - 6.000 mPa.s (23 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Particle size : Not applicable

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

#### 10.2 Chemical stability

Stable if used as directed. Follow precautionary advice and avoid incompatible materials and conditions.

Polymerises at high temperatures with evolution of carbon dioxide.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Isocyanates react with many materials and the rate of reaction

increases with temperature as well as increased contact; these reactions can become violent. Contact is increased by stirring or if the other material mixes with the isocyanate. Exothermic reaction with acids, amines and alcohols Reacts with water to form carbon dioxide and heat

Isocyanates are not soluble in water and sink to the bottom, but react slowly at the interface. The reaction forms carbon

dioxide gas and a layer of solid polyurea.

Hazardous decomposition products will be formed upon con-

tact with water or humid air.

10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

Acids
Bases
Water
Alcohols
Amines
Ammonia
Aluminium
Zinc
Brass
Tin
Copper

Galvanised metals

Humid air

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Information on likely routes of : I

exposure

Inhalation Skin contact

Ingestion Eye contact

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

**Acute toxicity** 

Harmful if inhaled.

**Product:** 

Acute inhalation toxicity : Acute toxicity estimate: 1,25 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

**Components:** 

Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : Acute toxicity estimate: 1,5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Expert judgement

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Remarks: Based on data from similar materials

4,4'-Diphenylmethane diisocyanate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 2,24 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Components:

Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : Based on data from similar materials

4,4'-Diphenylmethane diisocyanate:

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : Based on data from similar materials

#### Serious eye damage/eye irritation

Causes serious eye irritation.

### **Components:**

### Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Result : Irritation to eyes, reversing within 21 days Remarks : Based on data from similar materials

Based on harmonised classification in EU regulation

1272/2008, Annex VI

#### 4,4'-Diphenylmethane diisocyanate:

Result : Irritation to eyes, reversing within 7 days

Remarks : Based on harmonised classification in EU regulation

1272/2008, Annex VI

## Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

## Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Components:

## Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact
Species : Mouse
Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of skin sensitisation in humans

Exposure routes : inhalation (dust/mist/fume)

Species : Guinea pig Result : positive

Remarks : Based on data from similar materials

Assessment : Probability of respiratory sensitisation in humans based on

animal testing

## 4,4'-Diphenylmethane diisocyanate:

Test Type : Buehler Test Exposure routes : Skin contact

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

Species : Guinea pig Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

Exposure routes : Inhalation Species : Rat Result : positive

Remarks : Based on data from similar materials

Assessment : Probability of respiratory sensitisation in humans based on

animal testing

#### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

#### Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: Directive 67/548/EEC, Annex, B.13/14

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: inhalation (dust/mist/fume)

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

#### 4,4'-Diphenylmethane diisocyanate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: inhalation (dust/mist/fume)

Method: OECD Test Guideline 474

Result: negative

#### Carcinogenicity

Suspected of causing cancer.

#### **Components:**

### Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Species : Rat

Application Route : inhalation (dust/mist/fume)

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

Exposure time : 2 Years Result : positive

Remarks : Based on data from similar materials

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in animal studies

4,4'-Diphenylmethane diisocyanate:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years Result : positive

Remarks : Based on data from similar materials

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Not classified based on available information.

**Components:** 

Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: inhalation (vapour) Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (dust/mist/fume)

Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

4,4'-Diphenylmethane diisocyanate:

Effects on foetal develop- : Test Type: Embryo-foetal development

ment Species: Rat

Application Route: inhalation (dust/mist/fume)

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

#### **Components:**

#### Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Assessment : May cause respiratory irritation.

## 4,4'-Diphenylmethane diisocyanate:

Assessment : May cause respiratory irritation.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Components:**

#### Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Respiratory system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.02 to 0.2 mg/l/6h/d.

#### 4,4'-Diphenylmethane diisocyanate:

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Respiratory system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.02 to 0.2 mg/l/6h/d.

#### Repeated dose toxicity

#### **Components:**

#### Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Species : Rat LOAEL : 0,05 mg/kg

Application Route : inhalation (dust/mist/fume)

Exposure time : 90 Days

Remarks : Based on data from similar materials

#### 4,4'-Diphenylmethane diisocyanate:

Species : Rat

NOAEL : 0,2 mg/m3 LOAEL : 1 mg/m3

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 yr

Remarks : Based on data from similar materials

### **Aspiration toxicity**

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 1 - 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

#### 4,4'-Diphenylmethane diisocyanate:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 3.000 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 129,7 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 1.640

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 1.640 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 : > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

#### 12.2 Persistence and degradability

## **Components:**

#### Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 302C

Remarks: Based on data from similar materials

### 4,4'-Diphenylmethane diisocyanate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 302

Remarks: Based on data from similar materials

## 12.3 Bioaccumulative potential

#### **Components:**

#### Castor oil, polymer with 1,1'-methylenebis[4-isocyanatobenzene]:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 92 - 200 Method: OECD Test Guideline 305

Remarks: Based on data from similar materials

## 4,4'-Diphenylmethane diisocyanate:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 200

Partition coefficient: n-

octanol/water

: log Pow: 4,51

### 12.4 Mobility in soil

No data available

according to Regulation (EC) No. 1907/2006



## Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

## 12.5 Results of PBT and vPvB assessment

Not relevant

### 12.6 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product

080501, waste isocyanates

unused product

080501, waste isocyanates

uncleaned packagings

150110, packaging containing residues of or contaminated by

dangerous substances

Acc. Packaging Ordinance properly emptied packaging: Properly emptied, non-contaminated packaging of nonhazardous products can be supplied to a system for the col-

lection of sales packaging.

#### **SECTION 14: Transport information**

#### 14.1 UN number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

IATA : UN 3334

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Aviation regulated liquid, n.o.s.

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

**IATA** : 9

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

964

IATA (Cargo)

Packing instruction (cargo

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



## Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version **Revision Date:** SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-Not applicable

plete the ozone layer

Regulation (EC) No 850/2004 on persistent organic pol-Not applicable

lutants

Regulation (EC) No 649/2012 of the European Parlia-Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-

the market and use of certain dangerous substances, preparations and articles (Annex XVII)

lowing entries should be considered:

4,4'-Diphenylmethane diisocyanate

Not applicable

(56)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water contaminating class WGK 1 slightly hazardous to water

(Germany) Classification according to AwSV, Annex 1 (5.2)

Volatile organic compounds Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Volatile organic compounds (VOC) content: 0 %

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

TRGS 430 (German regulatory requirements)

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

according to Regulation (EC) No. 1907/2006



# Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H334 : May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

H335 : May cause respiratory irritation. H351 : Suspected of causing cancer.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H373 : May cause damage to organs through prolonged or repeated

exposure if inhaled.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity
Carc. : Carcinogenicity
Eye Irrit. : Eye irritation

Resp. Sens. : Respiratory sensitisation

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

TRGS 430 : Germany. TRGS 430 - Isocyanates

DE TRGS 900 / AGW : Time Weighted Average TRGS 430 / AGW : Occupational Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New

according to Regulation (EC) No. 1907/2006



## Septicare II Bond - 50 ml/160 ml/200 ml/250 ml (comp. A)

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.03.2018 2637954-00001 Date of first issue: 26.03.2018

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

#### Classification of the mixture:

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN